

September 01, 2017

Director Kazushige Obara
Earthquake Research Institute
The University of Tokyo

To whom it may concern,

Earthquake Research Institute Joint Usage/Research Program
Call for proposals for research projects and workshops
for the Academic Year 2018

The Earthquake Research Institute has been designated as a nationwide Joint Usage/Research Center for Earthquake and Volcano Sciences by the Ministry of Education, Culture, Sports, Science and Technology since the academic year 2010.

The goal of this center is to promote solid-earth sciences related to earthquakes and volcanoes, science and engineering to mitigate disasters caused by earthquakes and volcanic eruptions, and observational research both in Japan and abroad for the prediction of earthquakes and volcanic eruptions. In order to achieve this goal, the ERI conducts joint researches, accepts visiting researchers from both Japan and abroad, and provides facilities, equipment, materials, and data held by the ERI to related research institutions nationwide.

This time, we call for proposals for joint research projects, those for workshops and participants for Specific Research Projects for the Academic Year 2018.

1. Categories (See the Application Guidelines for the details)

- (1) Joint Research
- (2) Workshops/Symposia
- (3) Usage of Facilities, Laboratory Equipment, and Observation Equipment.
- (4) Usage of Data and Records.

* We call for proposals for (1) and (2) annually. Please be aware that the period of application submission varies depending on the specific category. Applications for (3) and (4) are accepted all the year round, but with some exceptions.

2. Eligibility for application:

Faculty members and researchers of national, public, and private universities, or national and public research institutions, and their equivalents (a professor emeritus, graduate students, and researchers in private companies) are eligible to apply. For more explanations about students, please refer the “13. precautions (5).”

3. Submission of proposals:

Fill out necessary fields on the specified forms to be found on the joint usage homepage

(<http://www.eri.u-tokyo.ac.jp/en/joint-usage-top/>) and submit the form online.

Please follow the procedure shown in the homepage on Web-application guideline

(<https://erikyodo.conf.it.atlas.jp/login>)

- Please have the principal investigator apply for general research projects and workshops.
- Applications to participate in specific research projects do not have to submit the application form in the case that the role of the applicants in the projects is decided with the principal investigator: submitting personal information and assigned project number via the web site completes the application.

4. Period of research: From April 2018 to March 2019.

5. Review Policy:

The Joint Usage Committee of the ERI will review the submitted applications. It is important that the content of the research plan follows the intent of the category for the joint usage/research program. It is required for a proposed project/workshop has relevance to the researches conducted in the ERI and/or to the facilities, equipment, records and data provided by the ERI. Applications are reviewed by all members of the Joint Usage Committee from several special fields. Please make the application with awareness of this point.

For specific research projects (A), (B), and (C), the ERI will compile all submitted participation applications for each project and send them to the principal investigator of the project. The principal investigator should submit a proposal for a review by summarizing the application information before mid-November.

6. Application Deadline: October 31, 2017 (Tue).

7. Submission of Letter of Consent:

All members of a “1. Joint Research,” except those who belong to the ERI, must submit a Letter of Consent (Form C-2a-E). Please submit one signed by the head of your affiliated institution before November 14, 2016 by postal mail to the mailing address shown at the end. In case that an applicant transferred to a new institution, submit a Letter of Consent signed by the head of the new place without delay.

Letter of Consent is not required for the one applying for “2. Workshops/Symposia,” “3. Usage of facilities, laboratory equipment, and observation equipment” or “4. Usage of data and records.”

8. Submission of Confirmation of Research Ethics form:

In response to the “Guidelines for Responding to Misconduct in Research” established by the Minister of Education, Culture, Sports, Science and Technology on August 26, 2014, a Confirmation of Research Ethics form (Form C-2b-E) must be submitted by the participants for “1. Joint Research,” “3. Usage of facilities, laboratory equipment, and observation equipment”, and “4. Usage of data and records.” Submission of the form is not required for the participants for “2. Workshops/Symposia.” Members of the University of

Tokyo do not have to submit the form, either. Please send a signed Confirmation of Research Ethics form by postal mail to the mailing address shown at the end.

9. Review Results:

The Joint Usage Committee of the ERI will determine results of reviews for all applications, and principal investigators of the projects will be informed the results before late March, 2018.

10. Funds for research/workshop:

The ERI will make expenditures for research/workshop expenses (travel costs, consumables and service fees) within its budget. Expense for an equipment is not allowed basically. Please check the definition and examples of the equipment and the consumable in “13. precautions (6).”

11. Acknowledgements:

On publishing papers based on the results of the researches performed under the ERI's joint usage/research program, please acknowledge the program in the paper. Also, please provide a copy of the paper to the ERI.

12. Lodging facilities:

The ERI is not equipped with lodging facilities. Please arrange accommodations by yourself.

13. Precautions:
- (1) When using facilities, comply with the rules of the ERI as well relevant laws, and follow the directions of the director for better management and safety.
 - (2) Keep in adequate contact with and follow the orders of the contact person and/or related members in the ERI when executing budget, implementing research, and using equipment.
 - (3) Losses and damages suffered by participants of the joint research projects or users of the equipment from outside the University of Tokyo shall be covered by their institution, and the University of Tokyo is not liable for them. A student participating in a joint research project should take out an accident insurance. If provided equipment or accessories are damaged or lost, repairs or replacement will be made in the sole responsibility of the user. If defects are found after a device is returned, repair fees maybe claimed from the one responsible.
 - (4) If you create intellectual property through this joint usage program, please inform the contact person at the ERI and research group members before making a copyright or patent application. Additionally, please contact the intellectual property department of your affiliated institution. Division of rights and the application procedures will be determined following discussion among related parties.
 - (5) Graduate students may participate in the projects as members of a research group with acceptance of his / her supervisor, but as a rule they may not become a principal

investigator. Graduate students may, however, apply as a principal investigator to use facilities, equipment, and data. Undergraduate students cannot participate in the projects, but can be a “research assistant” by request of the principal investigator. A letter of consent is needed for the “research assistant”, too. Please contact the “Research Support Team” if you want to add a new “research assistant”.

- (6) A material that is durable more than one year and also costs more than ¥100,000 per one piece/set is considered as the equipment. But, batteries/cells, chemicals, or software are handled as the consumable, even if they are expensive. Please contact to the Research Support Team (Joint Usage Section), if it is difficult to decide.
- (7) Please make any other inquiries regarding the joint usage program to the Research Support Team (Joint Usage Section).

[Contact Information]

1-1-1 Yayoi, Bunkyo-ku, Tokyo 113-0032

Earthquake Research Institute, the University of Tokyo

Research Support Team (Joint Usage Section)

Phone: 03-5841-5710, 1769

FAX: 03-5689-4467

Email: k-kyodoriyo@eri.u-tokyo.ac.jp

Application Guidelines

In order to facilitate researches in the fields relevant to earthquakes and volcanoes across Japan, the Earthquake Research Institute conducts various joint usage/research programs. Applications for joint researches are accepted annually.

Please refer to the explanations in the following, and apply online web system from the site

<http://www.eri.u-tokyo.ac.jp/en/joint-usage-top/>

Forms required for applications and related information are posted to the above URL.

If you apply for usage of equipment, please arrange a plan for the usage with a person in charge for the equipment at the ERI before submitting an application.

1. Joint Research

(1) Specific Research Project (A):

Specific Research Project (A) is for research projects that already have funds other than that by the joint usage/research program. Individual projects are being conducted nationwide by the ERI and/or other institutions, such as joint research based on “Promoting the Earthquake and Volcano Hazards Observation and Research Program (proposition)” (hereinafter “Earthquake and Volcano Hazard Mitigation Research.” We call for applications to participate in these projects.

Research projects in this category are listed in Appendix T-2A. Expenses to work for the projects will be supported. The maximum research expenses for each project should be ¥300,000 or less annually. Applicants to participate in projects under “Earthquake and Volcano Hazard Mitigation Research” (Research Title No. 2018-A-01, see Appendix T-2A-2 for projects) must not be a member of a research institution that receives project funds from “Earthquake and Volcano Hazard Mitigation Research.” Details of each research project can be found at the following website.

<http://www.eri.u-tokyo.ac.jp/YOTIKYO/H30/project.html>

An applicant should contact the principal investigator of the project or the contact person of the project at the ERI that he/she wishes to join to arrange research plan and submits the participation application (Form T-3A-E) with the principal investigator.

Applicants who wish to participate in the project listed in Appendix T-2A but other than those for No. 2018-A-01 should submit application form T-3B-E.

A principal investigator of a project must submit a report (Form T-5AC-E) within in 30 days of the completion of the research period through the online web system.

As for the projects in No. 2018-A-01, acknowledgements for the joint usage/research program by the ERI must be included in publications and participants shall be obligated to submit reprints of the publications.

(2) Specific Research Project (B):

The projects in this category include those planned by individual researchers or research groups with the aim of forming future large-scale projects. Those who wish to participate in these projects are invited for application. The projects in this category are not currently supported by large-scale project-funds such as the “Earthquake and Volcano Hazard Mitigation Research.” Exploratory or international/interdisciplinary

subjects are registered as in Appendix T-2B.

Period of research for a project is one year, but it may be continued as long as three years. Research expense for a project must be ¥2,000,000 or less per year. Expenses shall include expenses for travel, consumables and services to conduct the research project.

Those who are interested in joining the project should inquire about the details of the research project with the principal investigator of it or the contact person of the project at the ERI. Those who wish to join the research projects listed in Appendix T-2B should submit application form T-3B-E.

A principal investigator of a project must submit a project report (Form T-5B-E) within 30 days of the completion of the research period through the online web system.

(3) Specific Research Project (C):

The projects in this category include those operated with funding other than joint usage/research program but the ERI approved as projects that belong to the program. The projects are listed in Appendix T-2C.

Those who are interested in participating a project should inquire about the details of the research content with the principal investigator of it or the contact person of the project at the ERI. Those who wish to join the research projects listed in Appendix T-2C should submit application form T-3B-E. Some research titles are open to applications at all times of a year.

A principal investigator of a project must submit a project report (Form T-5AC-E) within 30 days of the completion of the research period through the online web system.

(4) General Research Project:

This category is for joint research projects conducted by small group of researchers formed from inside and outside of the ERI. Proposals that further advance researches performed at the ERI, and those would stimulate research activities in the ERI are welcome. In addition, proposals that involve foreign visiting researchers accepted by the ERI's International Research Promotion Office for the joint usage/research program are given appropriate consideration. Proposals for researches that are not yet conducted at the ERI are also welcome. A principal investigator of a project must be a faculty member or researcher of university/institution other than the ERI, and at least a member of the ERI must be involved in the project. A principal investigator of a project should submit an application (Form G-1-E).

A project in this category shall receive ¥500,000 or less for travel cost, consumables and services to conduct the research. However, appropriate considerations shall be made for research projects that require more than ¥500,000 by some reasons.

For researches conducted at the ERI, please see the "[2017 Handbook for Earthquake Research Institute, University of Tokyo](#)" or check the ERI website at (<http://www.eri.u-tokyo.ac.jp/en/>).

A principal investigator of a project must submit a project report (Form G-2-E) within 30 days of the completion of the research period through the online web system.

(5) Cooperative Study on Elucidation and Prediction of Earthquakes and Volcanic Eruptions:

This category is for research projects related to items in "Earthquake and Volcano Hazard Mitigation Research." The items are "1. Research for elucidation of earthquakes and volcanic phenomenon" or "2.

Research for prediction of earthquakes and volcanic eruptions,” and proposals for new researches that are not listed in Appendix T-2A-2 are accepted. Period of research for a project is one year, but it may be continued as long as three years or until end of the project. Research funds shall be ¥1,000,000 or less per research project per year. Expenses shall include travel costs and joint research expenses (consumables and service fees). Please clarify which research item the proposed research is related [Ex: 1. (2) a Plate boundary massive earthquakes]. Proposals for research projects related to item “3. Research for incentive prediction of earthquake and volcanic eruption disasters” will be accepted by another program run jointly by the ERI and the Disaster Prevention Research Institute, Kyoto University.

Please refer to the following URL for details on “Earthquake and Volcano Hazard Mitigation Research.”

http://www.mext.go.jp/b_menu/shingi/gijyutu/gijyutu6/toushin/attach/1341570.htm

The Coordinating Committee of Earthquake and Volcanic Eruption Prediction Researches conducts initial review of the proposals, and the Earthquake Research Institute Joint Usage Committee will make final decision regarding the review.

A faculty member from the Coordination Center for Prediction Research of Earthquakes and Volcanic Eruptions shall be the contact person at the ERI for accepted research projects. Principal investigator of a project should submit an application (Form Y-1-E).

A principal investigator of a project must submit a project report (Form Y-2-E) within 30 days of the completion of research period through the online web system. Another project report in the format set by the Coordinating Committee of Earthquake and Volcanic Eruption Prediction Researches must be submitted at the end of every academic year. Also, the results of the project should be presented at the annual-report-meeting held in March every year.

As for the projects in this category, acknowledgements for the joint usage/research program by the ERI must be included in publications and participants shall be obligated to submit reprints of the publications.

(6) Cooperative Study on High Energy Geophysics Research:

This category is for research projects related to items in “High Energy Geophysics Research.” Proposals based on industry-academia collaboration are given high priorities, in particular with matching funds of the applicants themselves.

Period of research for a project is one year, but it may be continued as long as three years. Research funds shall be ¥1,000,000 or less per research project per year. Expenses shall include travel costs and joint research expenses (consumables and service fees).

The Coordinating Committee of High Energy Geophysics Research conducts initial review of the proposals, and the Earthquake Research Institute Joint Usage Committee will make final decision regarding the review.

A faculty member shall be the contact person at the ERI for accepted research projects. Principal investigator of a project should submit an application form H-1-E, together with form C-3-E on agreement regarding intellectual properties produced in the research project.

A principal investigator of a project must submit a project report (Form H-2-E) within 30 days of the completion of research period through the online web system. As for the projects in this category, acknowledgements for the joint usage/research program by the ERI must be included in publications and participants shall be obligated to submit reprints of the publications.

2. Workshops/Symposia

This category is for holding workshops and symposia for topics on earthquakes, volcanoes and related sciences. The length of a workshop or symposium is supposed as one to three days. The category includes summer school and other workshops that are expected to contribute to the development of the research community on earthquakes, volcanoes and related field. A representative of workshop/symposium should submit an application (Form W-1-E). At least one member of the ERI must be included in the application as a contact person. The venue shall be in the Earthquake Research Institute. If a workshop is to be held outside of the ERI (including overseas), please state the necessity for this clearly. And, if you accept to attend public people with the workshop, please select “open”, otherwise select “closed”.

Domestic workshop/symposium will receive ¥1,000,000 or less, and international one will do ¥2,000,000 or less, per a workshop/symposium. The fund is spent to cover travel and printing costs.

If major changes in the plan, such as a change of venue, are needed, those should be reviewed again at the Joint Usage Committee of the ERI. The representative of the workshop/symposium should submit a statement of the reason explaining the changes as soon as possible to the Research Support Team of the ERI.

The Joint Usage Committee will evaluate the original proposal and the statement of the reason to decide whether to approve the changes or not.

The representative to the workshop/symposium must submit a workshop/symposium report (Form W-2-E) within 30 days of the completion of the workshop/symposium through the online web system.

3. Usage of Facilities, Laboratory Equipment, and Observation Equipment

Some of the facilities, laboratory equipment, and observation equipment managed by the Earthquake Research Institute are available for joint usage. Available items are listed in Appendix J-3. Those who wish to use the items should contact the contact person at the ERI for arrangement, and submit an application (Form J-1-E). It is necessary to submit another form, a specified items lease form (Form C-1-E), to take observation equipment outside the institute. If funds are required to use these facilities, please apply to the general research project instead.

A user of the item must submit a report (Form J-2-E) within 30 days of the completion of the usage of the items through the online web system.

4. Usage of Data and Records

Appendix J-4 is a list of earthquake and other earth science data and records, which are available for joint usage, managed by the Earthquake Research Institute. Those who wish to use them should contact the contact person of the data and records at the ERI for arrangement, and submit an application (Form J-1-E) by the online system. Applications to use the computer system database of the Earthquake Information Center are accepted by the Earthquake Information Center homepage below.

<http://www.eic.eri.u-tokyo.ac.jp/computer/manual/eic2015/index.php?English>

If funds are required to use these data and records, please apply to the general research project instead.

If you wish to receive national earthquake observation system data using satellite communications, please submit an equipment and facilities application (Form S-1-E). In addition, please submit reports (Forms J-2-E, S-2-E) within 30 days of the completion of the research using the data and records through the online web system.

Appendix T-2A-1 2018FY Specific Research Project (A) Titles

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|--|--|---|
| 2018-A-01 Earthquake and Volcano Hazards Observation and Research Program | ○ List of principal investigators is given in Appendix T-2A-2 · Head of Coordination Center for Prediction Research of Earthquakes and Volcanic Eruptions | Earthquake and Volcano Hazards Observation and Research Program is a 5-year plan beginning in Fiscal Year 2014, based on a proposal in November, 2013, by the Council for Science and Technology (refer to the website; http://www.mext.go.jp/b_menu/shingi/gijyutu/gijyutu6/toushin/attach/1341570.htm). The program is composed of the four components as follows; 1. Research for elucidation of earthquakes and volcanic phenomenon, 2. Research for prediction of earthquakes and volcanic eruptions, 3. Research for inducement prediction of earthquake and volcanic eruption disasters, 4. Establishment and maintenance of promotion systems of observation and research. Researchers from 19 universities and (research) institutions across the country have been jointly conducting about 85 specific research projects under the components. Please consult Appendix T-2A-2 or the following URL for the respective projects; The Earthquake Research Institute will subsidize the expense of joining any of the projects listed in Appendix T-2A-2 for researcher(s) from universities or research institutes which do not participate in the Program. Those researcher(s) who wish to join a specific project should take contact with the Principal Investigator of the project, and submit the application form T-3A. |
| 2018-A-02 Structure and dynamics of Earth's deep interior | ○ Daisuke Suetsugu (JAMSTEC) · Hisashi Utada | This collaboration aims to reveal the structure and dynamics of the Earth's deep interior mainly by observational approach. We carry out long-term observation by geophysical network in the Pacific region (Ocean Hemisphere Network) and seismic and/or electromagnetic array studies both on land and seafloor, and contribute to the scientific aim by analyzing data from these observations. |
| 2018-A-03 Science of Slow Earthquakes | ○ Kazushige Obara (Earthquake Research Institute) · Yoshiyuki Tanaka | Our research will shed light on the mystery of “slow earthquakes”, which have been detected in succession in recent years. This will require an approach integrating the conventional fields of geophysics, seismology, and geodesy with materials science and non-equilibrium statistical physics, among others. By explaining the mechanisms, environmental conditions and principles of slow earthquakes, our goal is to accelerate a unified understanding of all earthquake events, from low-speed deformation to high-speed slip, and at the same time, to rebuild the way research is conducted on earthquakes. We collaborate with many researchers not only in Japan but also in various countries in the world in order to clarify (A) mechanisms involved in the occurrence of slow earthquakes, (B) environment in which slow earthquakes occur, and (C) principles by which slow earthquakes occur. We welcome research collaborators who are interested in this project (Table). If your proposal is accepted, a part of the travel fee will be supported. URL: http://www.eri.u-tokyo.ac.jp/project/slowneq/ <u>Eligibility for application:</u> Faculty members and researchers of national, public, and private universities, or national and public research institutions, and their equivalents are eligible to apply. |

Appendix T-2A-2 2018-A-01 projects

Please consult the following URL for the respective projects

<http://www.eri.u-tokyo.ac.jp/YOTIKYO/H30/project.html>

(In Japanese only)

| 課題番号 | 代表機関名 | 課題代表者 | 研究課題名 |
|--------------------------------------|----------------|--------|---|
| 1. 地震・火山現象の解明のための研究 | | | |
| (1) 地震・火山現象に関する史料、考古データ、地質データ等の収集と整理 | | | |
| 1501 | 東京大学地震研究所 | 佐竹 健治 | 地震・火山災害の関連史資料に基づく低頻度大規模災害の調査 |
| 1502 | 東京大学地震研究所 | 安田 敦 | 揮発性成分定量による活火山爆発力ポテンシャル評価とマグマ溜まり深度の再決定 |
| 1901 | 京都大学防災研究所 | 加納 靖之 | 史料の収集・翻刻・解析による過去の大地震および自然災害の調査 |
| 2601 | 東京大学史料編纂所 | 佐藤 孝之 | 文献史料による歴史地震に関する情報の収集とデータベースの構築・公開 |
| 2701 | 新潟大学災害・復興科学研究所 | 矢田 俊文 | 日本海沿岸地域を中心とした地震・火山噴火災害関連史料の収集と分析 |
| 9001 | 奈良文化財研究所 | 小池 伸彦 | 考古資料および文献資料からみた過去の地震・火山災害に関する情報の収集とデータベースの構築・公開 |
| (2) 低頻度大規模地震・火山現象の解明 | | | |
| 1001 | 北海道大学大学院理学研究院 | 中川 光弘 | 地質および物質科学的データに基づく低頻度大規模火山現象およびその準備過程の研究 |
| 1002 | 北海道大学大学院理学研究院 | 谷岡 勇市郎 | 北海道沖低頻度大規模地震の総合的理解とそのモニタリングへの基礎的研究 |
| 1503 | 東京大学地震研究所 | 篠原 雅尚 | 日本海溝・相模トラフプレート境界で起こる多様なすべり現象の包括的モデル構築 |
| 1701 | 名古屋大学大学院環境学研究科 | 山中 佳子 | 古文書解読による南海トラフ巨大歴史地震像の解明 |
| 1902 | 京都大学防災研究所 | 中道 治久 | 近代観測以降の大噴火時の観測データの整理と低頻度大規模噴火予知に寄与する情報の抽出 |
| (3) 地震・火山噴火の発生場の解明 | | | |
| 1101 | 弘前大学大学院理工学研究科 | 小菅 正裕 | 地殻流体と地震活動の関係及び過去地震の災害誘因の解明 |
| 1201 | 東北大学大学院理学研究科 | 東 龍介 | スラブ内地震の発生メカニズムの解明 |
| 1202 | 東北大学大学院理学研究科 | 三浦 哲 | 蔵王山周辺の総合観測 |
| 1203 | 東北大学大学院理学研究科 | 松澤 暢 | 地殻応答による断層への応力载荷過程の解明と予測 |
| 1401 | 東京大学大学院理学系研究科 | 角森 史昭 | 地殻流体の連続化学観測にもとづいた地殻の状態評価システムの開発 |
| 1504 | 東京大学地震研究所 | 飯高 隆 | 内陸地震発生の理解と予測に向けて |
| 1505 | 東京大学地震研究所 | 岩崎 貴哉 | 日本列島基本構造モデルの構築 |
| 1506 | 東京大学地震研究所 | 新谷 昌人 | 小型絶対重力計を用いた火山監視技術の開発 |
| 1903 | 京都大学防災研究所 | 岩田 知孝 | プレート境界巨大地震の広帯域震源過程に関する研究 |
| 1904 | 京都大学防災研究所 | 澁谷 拓郎 | 南海トラフ巨大地震の予測高度化を目指したフィリピン海スラブ周辺域の構造研究 |
| 1905 | 京都大学防災研究所 | 飯尾 能久 | 日本列島変動の基本場解明：地殻とマントルにおける物性、温度、応力、流動－変形 |

| 課題番号 | 代表機関名 | 課題代表者 | 研究課題名 |
|---------------|----------------|--------|--|
| 1906 | 京都大学防災研究所 | 西上 欽也 | 注水実験による内陸地震の震源断層の詳細な構造と回復過程の研究 |
| 1907 | 京都大学防災研究所 | 飯尾 能久 | 横ずれ型の内陸地震発生の物理モデルの構築 |
| 2101 | 高知大学教育研究部 | 大久保 慎人 | 四国前弧域から中央構造線北方にかけての観測高度化による地震発生場の研究 |
| 2201 | 九州大学大学院理学研究院 | 松本 聡 | 地震・火山相互作用下の内陸地震・火山噴火発生場解明およびモデル化の研究 |
| 2301 | 鹿児島大学学術研究院理工学域 | 八木 原寛 | 海域と島嶼域における地震・地殻変動観測による南西諸島北部のプレート境界域テクトニクスの観測研究 |
| 2801 | 東京大学大気海洋研究所 | 朴 進午 | 津波地震を励起する浅部プレート境界断層の実態解明と物性変動モニタリング |
| (4) 地震現象のモデル化 | | | |
| 1204 | 東北大学大学院理学研究科 | 松澤 暢 | 地震断層すべり物理モデルの構築 |
| 1507 | 東京大学地震研究所 | 中谷 正生 | 次世代プレート境界地震発生モデル構築のための実験的・理論的研究 |
| 1801 | 京都大学大学院理学研究科 | 平原 和朗 | 地震サイクルシミュレーションの高度化 |
| (5) 火山現象のモデル化 | | | |
| 1003 | 北海道大学大学院理学研究院 | 橋本 武志 | 多項目観測に基づく火山熱水系の構造の時空間変化の把握と異常現象の検知 |
| 1205 | 東北大学大学院理学研究科 | 中村 美千彦 | 岩石組織に基づく火道浅部プロセスの推定手法の開発 |
| 1508 | 東京大学地震研究所 | 大湊 隆雄 | 地球物理・地球化学統合多項目観測および比較研究によるマグマ噴火を主体とする火山の定量化とモデル化 |
| 1601 | 東京工業大学理学院 | 小川 康雄 | 水蒸気爆発場の物理・化学状態の把握と火山流体の挙動 |
| 1602 | 東京工業大学理学院 | 野上 健治 | 海底火山活動の評価手法の開発に関する研究 |
| 1802 | 京都大学大学院理学研究科 | 大倉 敬宏 | 水蒸気噴火後の火山活動推移予測のための総合的研究 - 御嶽・口永良部・阿蘇 - |
| 1908 | 京都大学防災研究所 | 井口 正人 | 桜島火山におけるマグマ活動発展過程の研究 |
| 1909 | 京都大学防災研究所 | 大見 士朗 | 焼岳火山の噴火準備過程の研究 |
| 2802 | 東京大学大気海洋研究所 | 佐野 有司 | 地球物理・化学的探査による海底火山および海底熱水活動の調査 |

| 課題番号 | 代表機関名 | 課題代表者 | 研究課題名 |
|------------------------|-----------------|--------|---|
| 2. 地震・火山現象の予測のための研究 | | | |
| (1) 地震発生長期評価手法の高度化 | | | |
| 1702 | 名古屋大学大学院環境学研究科 | 鈴木 康弘 | 地表地震断層および活断層の地表形状・変位量データにもとづく直下型大地震の規模・頻度予測手法の高度化 —LiDAR等の高解像度DEMを用いた検討 |
| (2) モニタリングによる地震活動予測 | | | |
| 1206 | 東北大学大学院理学研究科 | 遠田 晋次 | 地震活動の時空間パターンと断層および地震サイクルとの関係 |
| 1402 | 東京大学大学院理学系研究科 | 井出 哲 | 地震発生場の階層性を考慮した地震活動予測 |
| 1509 | 東京大学地震研究所 | 小原 一成 | プレート境界すべり現象モニタリングに基づくプレート間カップリングの解明 |
| 1510 | 東京大学地震研究所 | 五十嵐 俊博 | 相似地震再来特性の理解に基づく地殻活動モニタリング手法の構築 |
| 1511 | 東京大学地震研究所 | 鶴岡 弘 | 地震活動に基づく地震発生予測検証実験 |
| 1512 | 東京大学地震研究所 | 波多野 恭弘 | 地震活動パラメータと地震発生場の応力の中に成り立つ定量的関係式 |
| 1703 | 名古屋大学大学院環境学研究科 | 山岡 耕春 | 南海トラフ域における巨大地震断層域の力学・変形特性の把握 |
| 1803 | 京都大学大学院理学研究科 | 宮崎 真一 | 実観測データに基づく断層面摩擦パラメータと地殻活動の状態推定の手法の構築 |
| 1910 | 京都大学防災研究所 | 西村 卓也 | 短スパン伸縮計等を活用した西南日本における短期的SSEの観測解析手法の高度化 |
| 2401 | 立命館大学総合科学技術研究機構 | 小笠原 宏 | 南アフリカ金鉱山の地震発生場における応力・強度・ひずみ変化の現位置計測 |
| (3) 先行現象に基づく地震活動予測 | | | |
| 1207 | 東北大学大学院理学研究科 | 長濱 裕幸 | 地震に先行する大気中ラドン濃度変動に関する観測 |
| 2402 | 立命館大学総合科学技術研究機構 | 川方 裕則 | 大規模地震・破壊に先行する極微小な前震活動の発生様式の特徴の解明 |
| 2501 | 東海大学海洋研究所 | 長尾 年恭 | 電磁気的地震先行現象の観測と統計評価による他種の先行現象との比較 |
| (4) 事象系統樹の高度化による火山噴火予測 | | | |
| 1004 | 北海道大学大学院理学研究院 | 中川 光弘 | 噴火履歴及び観測事例に基づく噴火事象系統樹の試作 |
| 1208 | 東北大学大学院理学研究科 | 西村 太志 | 観測事例及び理論予測に基づく噴火事象系統樹の分岐条件の検討 |

| 課題番号 | 代表機関名 | 課題代表者 | 研究課題名 |
|-----------------------------|----------------|--------|--|
| 3. 地震・火山噴火の災害誘因予測のための研究 | | | |
| (1) 地震・火山噴火の災害事例の研究 | | | |
| 1513 | 東京大学地震研究所 | 佐竹 健治 | 歴史時代に発生した地震・火山などの災害に関する多角的な研究 |
| 2702 | 新潟大学災害・復興科学研究科 | 田村 圭子 | 過去の災害事例に基づく減災科学に係る研究 |
| (2) 地震・火山噴火の災害発生機構の解明 | | | |
| 1514 | 東京大学地震研究所 | 酒井 慎一 | 首都圏に被害を及ぼす地震の解明およびその被害の実像 |
| 1515 | 東京大学地震研究所 | 三宅 弘恵 | 堆積平野・堆積盆地における地震災害発生機構の解明 |
| 1704 | 名古屋大学大学院環境学研究科 | 黒田 由彦 | 地震・津波災害に対する地域社会の脆弱性測定に基づくボトムアップ型コミュニティ防災・減災に関する文理融合的研究 |
| (3) 地震・火山噴火の災害誘因の事前評価手法の高度化 | | | |
| 1516 | 東京大学地震研究所 | 古村 孝志 | 広帯域・高解像度強震動シミュレーションに基づく大地震の強震動評価の高度化 |
| 1911 | 京都大学防災研究所 | 関口 春子 | プレート境界巨大地震等の広帯域強震動予測に関する研究 |
| 1912 | 京都大学防災研究所 | 千木良 雅弘 | 強震動によって発生する地すべり現象の発生ポテンシャル評価と事前予測手法の高度化 |
| (4) 地震・火山噴火の災害誘因の即時予測手法の高度化 | | | |
| 1005 | 北海道大学大学院理学研究院 | 谷岡 勇市郎 | 津波浸水域の即時予測手法開発のための研究 |
| 1209 | 東北大学大学院理学研究科 | 太田 雄策 | トランジェント現象リアルタイムモニタリングのための複合測地データ利用の高度化 |
| 1913 | 京都大学防災研究所 | 井口 正人 | 桜島火山におけるマグマ活動発展過程の研究－火山灰拡散即時予測 |
| 2001 | 鳥取大学大学院工学研究科 | 香川 敬生 | 自治体震度計を用いた地震速報の高度化 |
| (5) 地震・火山噴火の災害軽減のための情報の高度化 | | | |
| 1006 | 北海道大学大学院理学研究院 | 谷岡 勇市郎 | 地理空間情報の総合的活用による災害に対する社会的脆弱性克服のための基礎研究 |
| 1517 | 東京大学地震研究所 | 瀬瀬 一起 | 地震動・津波誘因の長期予測情報コミュニケーション |
| 1914 | 京都大学防災研究所 | 井口 正人 | 桜島火山におけるマグマ活動発展過程の研究－地域との連携 |

| 課題番号 | 代表機関名 | 課題代表者 | 研究課題名 |
|----------------------|----------------|-------|---|
| 4. 研究を推進するための体制の整備 | | | |
| (2) 研究基盤の開発・整備 | | | |
| 1007 | 北海道大学大学院理学研究院 | 高橋 浩晃 | 地殻変動等多項目観測データ全国リアルタイム流通一元化解析システムの開発 |
| 1008 | 北海道大学大学院理学研究院 | 村上 亮 | Lバンド航空機SARによる革新的火山観測手法の開発 |
| 1210 | 東北大学大学院理学研究科 | 木戸 元之 | 海溝軸近傍で観測可能な海底地殻変動観測技術の開発 |
| 1403 | 東京大学大学院理学系研究科 | 森 俊哉 | 噴火推移モニタリングのための火山ガス観測装置の開発 |
| 1518 | 東京大学地震研究所 | 鶴岡 弘 | データ流通網の高度化 |
| 1519 | 東京大学地震研究所 | 鶴岡 弘 | 研究成果共有システムの構築 |
| 1520 | 東京大学地震研究所 | 金子 隆之 | 衛星赤外面像による噴火推移の観測と類型化に関する研究 |
| 1521 | 東京大学地震研究所 | 塩原 肇 | 海底での地震・地殻変動観測に向けた観測技術の高度化 |
| 1522 | 東京大学地震研究所 | 新谷 昌人 | 光技術を利用した大深度ボアホール用地震地殻変動観測装置の開発 |
| 1523 | 東京大学地震研究所 | 田中 宏幸 | 素粒子ミュオンを用いた火山透視技術の可用化プロジェクト |
| 1705 | 名古屋大学大学院環境学研究科 | 山岡 耕春 | 精密制御震源システムの標準化と、ボアホール・海域への設置に関する研究 |
| 1915 | 京都大学防災研究所 | 飯尾 能久 | 歴史記録の電子化 |
| (5) 社会との共通理解の醸成と災害教育 | | | |
| 1009 | 北海道大学大学院理学研究院 | 大島 弘光 | 準リアルタイム火山情報表示システムの開発 |
| 1706 | 名古屋大学大学院環境学研究科 | 山中 佳子 | 火山災害情報およびその伝達方法のあり方 |
| (6) 国際共同研究・国際協力 | | | |
| 1524 | 東京大学地震研究所 | 望月 公廣 | 日・米・NZ国際協力によるスロースリップでのプレート境界面断層滑りメカニズムの解明 |

Appendix T-2A-3 2018-A-03 Projects

| | PI | Institution | Research project |
|-----|--------------------|--|---|
| A01 | Kazushige Obara | Earthquake Research Institute, The University of Tokyo | Study on the mechanisms involved in the occurrence of slow earthquakes based on temporal inland and offshore observations |
| A02 | Hitoshi Hirose | Kobe University | Study on physical mechanisms of slow earthquakes based on geodetic observations |
| B01 | Kimihiro Mochizuki | Earthquake Research Institute, The University of Tokyo | Study on seismic and electromagnetic subsurface structure around the source of slow earthquakes |
| B02 | Kohtaro Ujiie | University of Tsukuba | Study on geological perspectives, frictional and hydrological properties of slow earthquakes |
| C01 | Satoshi Ide | The University of Tokyo | Study on geoscientific modeling of earthquake phenomena from low-speed deformation to high-speed slip |
| C02 | Takahiro Hatano | Earthquake Research Institute, The University of Tokyo | Unified understanding of slow and regular earthquakes from nonequilibrium physics point of view |

Appendix T-2B 2018FY Specific Research Project (B) Titles

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|---|--|--|
| 2016-B-01 Pacific Array | ○Hitoshi Kawakatsu (Earthquake Research Institute, The University of Tokyo) ·Hisashi Utada | Recent advances in ocean bottom geophysical observations, together with advances in the analysis methodology, have enabled us to resolve regional 1-D structures of the lithosphere-asthenosphere system, from the surface to a depth of ~200km, including seismic azimuthal anisotropy, with deployments of ~10-15 BBOBSs & OBEMs each for a year or so. Pacific Array aims to deploy such an array of arrays in the Pacific ocean as an international collaborative research project. This research group will discuss how to make it happen. Those who wish to contribute to and/or to support PA is welcome to join. Expected institutes: JAMSTEC, Hokkaido University, Kobe University & The University of Tokyo, Earthquake Research Institute, The University of Tokyo |
| 2016-B-03 Developing monitoring methods for volcano infrasound | ○Mie Ichihara (Earthquake Research Institute, The University of Tokyo) · Mie Ichihara | We are aiming at improving the performance and reliability of infrasonic sensors used for monitoring of volcanoes. In collaboration between manufacturers and users of infrasound sensors, we examine the responses of different sensors and exchange information. Expected collaborators are from Kyushu University, Kochi University of Technology, National Research Institute for Earth Science and Disaster Resilience, Meteorological Research Institute, Japan Meteorological Agency, Japan Weather Association, Hot Springs Research Institute of Kanagawa Prefecture, National Institute of Information and Communications Technology, Firenze University, Hawaii University |
| 2016-B-04 Establishment of Global Muography Network | ○Hiroyuki Tanaka (Earthquake Research Institute, The University of Tokyo) · Hiroyuki Tanaka | The Global Muography Network (GMN) is a new framework for muography researchers, created in order for participating countries to share muographic observational detectors, muography technologies and muography researchers. The goal of GMN is to extend a new academic field, “internationally” by establishing “Muography (a visualization technique for imaging the internal structures of gigantic objects such as volcanoes with elementary particles called muons)”, as a core technology, strengthening the existing cooperation with domestic institutions, forming a global network of researchers and enabling the increased practical applications of muography technology. In particular, this network will connect each project progressing currently at home and abroad, and by promoting research partnership with domestic and foreign institutions which have succeeded in acquiring research budgets in the fields related to muography, we will expand bilateral partnerships into the global network. Moreover, we aim to create new industries based on the results of these international research partnerships, by utilizing coherent efforts and the synergistic effects of combining the expertise of physicists specializing in elementary particles and those specializing in earth physics. List of affiliations for projected participants: Istituto Nazionale di Fisica Nucleare, Istituto Nazionale di Geofisica e Vulcanologia, MTA Wigner Fizikai Kutatóközpont küldetése, The Institut national de physique nucléaire et de physique des particules, Université catholique de Louvain, University of Sheffield, Durham University, Université Nice Sophia Antipolis, Istituto nazionale di astrofisica, Pacific Northwest National Laboratory, Nagoya University, High Energy Accelerator Research Organization, International Research Center for Japanese Studies, Università degli Studi di Salerno, Università degli Studi di Napoli Federico II, Università degli Studi di Firenze |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|--|---|--|
| 2016-B-05 Synthesis of standard polycrystalline minerals for room experiments | ○Takehiko Hiraga (Earthquake Research Institute) · Takehiko Hiraga | Collaboration with a powder processing group at National Institute of Material Science (NIMS), we will synthesize ideal mineral aggregates for room experiments. The materials will be used by numbers of different groups which are expert on the measurement of physical properties at a wide range of temperature and pressure conditions. <u>Planned research group for this program:</u> Tohoku University, The University of Tokyo, National Institute for Materials Science, Okayama University, Yokohama University, Ehime University, Kyushu University, University of Minnesota, University of Bayreuth, University of Montpellier |
| 2016-B-07 Physical mechanism for sensitive response of earthquake faults to stress perturbation | ○Takahiro Hatano (Earthquake Research Institute, The University of Tokyo) · Takahiro Hatano | Earthquake faults may be sensitive to a faint stress perturbation as illustrated in dynamic triggering and tidal correlation of seismicity. While tectonic tremors are always sensitive to tides, earthquakes are not always so except in the close vicinity of the rupture initiation point prior to giant earthquakes. At this stage, little is known about the physical mechanism of these phenomena and therefore intensive studies are needed. Such efforts may lead to a unified understanding of slow earthquakes and ordinary ones. In this project, we call for researchers who tackle this problem by means of laboratory experiments as well as theoretical modeling. Unified understanding should be attempted for these (apparently) various phenomena as the sensitivity to stress perturbation in a wide range of frequencies and amplitudes. In particular, elementary physical processes should be investigated such as the mechanical responses of fault gouge or rocks to stress perturbations. We also call for the collaboration with experts on statistics to account for the observed seismicity. <u>Expected collaborate institutes:</u> Ecole Normale Supérieure, Okinawa Institute of Science and Technology Graduate University, JAMSTEC |
| 2016-B-08 Advanced gravimetry and its application to observational geosciences | ○Kazunari Nawa (National Institute of Advanced Industrial Science and Technology) · Yuichi Imanishi | Gravimetry is a powerful tool for tracking spatiotemporal changes in density distributions, and is expected to play an important role in monitoring tectonic activities such as the large-scale crustal deformations of the Japanese islands after the 2011 Tohoku Earthquake. In addition to the ground-based gravity measurements based on traditional methods (absolute gravimeter, spring-type gravimeter, superconducting gravimeter), satellite methods are providing new aspects in observational gravimetry. Also, instrumental developments based on brand-new principles are now in progress for measurements of spatial derivatives or integrals of gravity acceleration. This study aims at integrating these recent advances toward applications to a wide variety of geosciences. <u>Expected collaborate institutes:</u> Hokkaido University, Tohoku University, The University of Tokyo, University of Tsukuba, University of Toyama, Kanazawa University, Nagoya University, Kyoto University, Hiroshima University, Ehime University, Kyushu University, National Astronomical Observatory of Japan, National Institute of Polar Research, Geospatial Information Authority of Japan, National Research Institute for Earth Science and Disaster Resilience, National Institute of Advanced Industrial Science and Technology, National Institute of Information and Communications Technology, RIKEN, JAMSTEC, Tono Research Institute of Earthquake Science |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|---|--|---|
| 2016-B-09 Crustal Deformation Research by Dense GNSS Array Campaign Observation | ○ Takeshi Matsushima (Kyushu University) · Yosuke Aoki | <p>Staff and students of Universities and research institutions in Japan that specializes in Geodesy will hold dense GNSS campaign observation research. More than 40 researchers held observations in Miyakejima volcano in 2016 and in and around Ito city, Shizuoka prefecture in 2017, where the campaign observation had been repeated in the 1990s. The observation of 2018-campaign will be held in Niigata area.</p> <p>We will research crustal deformation of these areas occurred after the previous studies. Another major objective of these campaign observations is to educate and exchange between students and young researchers and to pass on outdoor observation technique. In addition, we will assemble the past observation data and record of observation point, summarized as a database.</p> <p><u>Universities and research institutes that participate is assumed:</u> Hokkaido University, Tohoku University, Yamagata University, The University of Tokyo, Shizuoka University, Kyoto University, Nagoya University, Kobe University, Kochi University, Kyushu University, Kagoshima University, Nihon University, Tokai University, National Research Institute for Earth Science and Disaster Resilience, National Institute of Advanced Industrial Science and Technology, Meteorological Research Institute, Hot Springs Research Institute of Kanagawa Prefecture, JAMSTEC, and etc.</p> |
| 2016-B-11 Development of data assimilation methods applicable to simulation models and observation data in solid-earth science | ○ Kosuke Ito (University of the Ryukyus) · Junichi Fukuda | <p>Estimating state variables and model parameters in numerical simulation models quantitatively is crucially important to elucidate mechanisms of various phenomena in solid-earth science and to forecast their time evolution. For this purpose, we need data assimilation methods in which state variables and model parameters in simulation models are estimated on the basis of Bayesian statistics and optimization theories. Data assimilation methods have been developed and studied extensively in atmospheric, ocean, and statistical sciences. In recent years, data assimilation methods have also been applied to several problems in solid-earth science such as GPS data assimilation into numerical models of fault slip evolution and assimilation of seismicity data. To further advance data assimilation studies in solid-earth science, it is necessary to develop methods that are applicable to models with high nonlinearity and high degrees of freedom. In this project, researchers from atmospheric, ocean, and statistical sciences, who are familiar with data assimilation methods, and researchers from solid-earth science, who are familiar with simulation models and observation data, will collaborate together to develop data assimilation methods that are applicable to the numerical models of fault slip evolution. We will also develop data assimilation methods for other simulation models in solid-earth science, such as models for seismicity evolution and volcanic activity.</p> <p><u>Expected collaborate institutes:</u> University of the Ryukyus, Earthquake Research Institute, The University of Tokyo, The Institute of Statistical Mathematics, Kyoto University, Tokiwa University, Meiji University, JAMSTEC</p> |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|--|--|--|
| 2016-B-12 Monitoring of crustal activity with precise strain observation network | ○Akito Araya (Earthquake Research Institute, The University of Tokyo) · Akito Araya · Junichi Fukuda | <p>While records from networks of seismometers and GNSS are widely used for research on earthquakes and volcanos, those of strainmeters have not fully been utilized mainly because of their sensitivity to local noise and incomplete networking. Nevertheless, their superior resolution to the crustal deformation with seamless timescale, from dc to high frequencies, would be useful to understand various kinds of crustal activity.</p> <p>The 100-m-class laser strainmeters (Funagira and Kamioka) have detected slow slip events and far-field coseismic crustal deformation that cannot be detected by seismometers and GNSS, and in Kamioka a new laser strainmeter with 1500-m baseline started operation in 2016. In Tono and Tokai areas, a borehole-strainmeter network has been established, and together with conventional extensometers the countrywide data distribution is available.</p> <p>The purpose of this research is to treat various kinds of strain data with integrative approach to extract common signal that can be compiled as temporal and spatial crustal activities. In addition, advanced technologies that may lead to new strain observation will be discussed in the workshop.</p> <p>Researchers who are interested in observations of crustal activity as well as new related technologies are expected to participate in this research.</p> <p><u>Participating organizations:</u> The University of Tokyo, Meteorological Research Institute, Tono Research Institute of Earthquake Science, Meteorological Research Institute, National Institute of Advanced Industrial Science and Technology, Hokkaido University, Tohoku University, Tokai University, Nagaoka University of Technology, Nagoya University, Kyoto University, Kochi University</p> |
| 2016-B-13 Modeling relative motion along the plate interface around the slow-slip region in the Hikurangi subduction zone | ○Motoyuki Kido (Tohoku University) · Kimihiro Mochizuki | <p>It is important to grasp the behavior of the plate interface for understanding earthquake generation mechanisms. After discovery of slow slip within the coupling transition zone between locked and stably sliding regions, many studies on frictional properties in and around the seismogenic zone have been conducted. Slow slip of M~6.5 has repeatedly occurred at intervals of 1 ~ 2 years along the eastern coast of the North Island of New Zealand. Depth to the plate interface is shallow, and the structure of the plate interface has been well resolved by seismic surveys. We conducted marine seismic and seafloor-vertical-motion observations using ocean bottom seismometers and pressure gauges, and successfully observed a large slow slip event during 2014 and 2015. We plan to continue our marine observations with additional GPS/A instruments to detect horizontal motion on the seafloor under the framework of JPN-NZ-USA collaborative researches for modeling behavior of the plate interface through a sequence from strain accumulation to an occurrence of slow slip event.</p> <p><u>Expected collaborate institutes:</u> International Research Institute of Disaster Science, Tohoku University, Research Center for Prediction of Earthquakes and Volcanic Eruptions, Graduate School of Science, Tohoku University, Disaster Prevention Research Institute, Kyoto University, Earthquake Research Institute, The University of Tokyo, Faculty of Science, University of Ryukyus, Faculty of Science, Hiroshima University, Kobe University, Japan Agency for Marine-Earth Science and Technology, GNS Science, Institute for Geophysics, The University of Texas at Austin Scripps Institution of Oceanography, UC San Diego</p> |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|--|---|--|
| 2017-B-01 Developing a numerical method simulating magma fracture | ○Masaharu Kameda (Tokyo University of Agriculture and Technology) · Mie Ichihara | <p>Deformation and fracture of visco-elastic fluid is an important process controlling a volcanic eruption. The phenomenon includes interesting problems in computational science for continuum mechanics. Developing a mathematical model and numerical methods to solve the problems will bring about a breakthrough not only in volcanology but also in engineering. In this project, we develop a numerical method to simulate fracture of visco-elastic fluid using the brittleness parameter presented by Ichihara and Rubin (2010). We also conduct fracture experiment on viscoelastic fluid to test the numerical method.</p> <p>Possible collaborators: Akinori Yamanaka (Tokyo University of Agriculture and Technology) Osamu Kuwano (JAMSTEC) Satoshi Okumura (Tohoku University) Atsushi Toramaru, Tetsuo Yamaguchi (Kyushu University) Hiromichi Nagao (Earthquake Research Institute, The University of Tokyo)</p> |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|--|--|--|
| 2017-B-02 Image analysis of muography applying medical computer-assisted detection/diagnosis (CAD) technology | ○Naoto Hayashi (The University of Tokyo Hospital) · Hiroyuki Tanaka | <p>High-speed computer-assisted image diagnostic technology applying machine learning have been developed in Department of Computational Diagnostic Radiology and Preventive Medicine, The University of Tokyo Hospital. Meanwhile, muographic visualization of a volcano's internal structure has been demonstrated to the rest of the world by Earthquake Research Institute, The University of Tokyo. This project aims to combine computer-assisted image diagnostic technology with muography to facilitate observation of eruption style and process, and accelerate research of the volcano.</p> <p>Muography visualizes density distribution of the object by measuring the direction and number of muons that pass through it. Although muography is expected to be useful to understand the internal structure of volcanoes, it has not been sufficiently utilized in connection with volcanic activity.</p> <p>That was because analysis of muon track information more than ten million per year has took time, and tens of thousands of muographic images has not been evaluated. In the medical field, advanced technology has been developed to demonstrate and analyze medical images including radiography, computed tomography (CT), magnetic resonance imaging (MRI), and positron emission tomography (PET). Recently, the number of images per medical examination has exponentially increased, and it causes increase of burden on physicians who read images to detect and diagnose lesions. To support physicians, software has been developed to reconstruct and analyze images, and demonstrate lesion candidates. Moreover, machine learning has been applied to improve its accuracy.</p> <p>Both muography and medical imaging technology including radiography aims to utilize track information of radiation or elementary particles to detect abnormality (lesion) inside the target and evaluate it qualitatively. This project aims to combine advanced medical image diagnostic technology with muography to develop high-speed volcano diagnostic technology. In fiscal year 2018, we will continue to observe Sakurajima, analyze its data applying computer-assisted detection/diagnosis technology, and facilitate observation of eruption style and process to promote research of the volcano. Furthermore, we will improve accuracy of prediction of eruption time and scale to utilize disaster prevention.</p> <p><u>Expected members of the research project:</u> Department of Computational Radiology and Preventive Medicine, The University of Tokyo Hospital Department of Radiology, The University of Tokyo Hospital Faculty of Information Sciences and Graduate School of Information Sciences, Hiroshima City University, Faculty of biology-oriented science and technology Kindai University</p> |
| 2017-B-04 Development of muography technologies using nuclear emulsion | ○Kunihiro Morishima (Nagoya University) ·Hiroyuki Tanaka | <p>Muography is the non-destructive inspection technology of the giant objects. By using muography, we can take transmission images of volcanoes. And also, density change inside of mountains can be imaged. Nuclear emulsion is a muon detector. Nuclear emulsion is high sensitive photographic film, which can record three dimensional trajectories of muons with high space resolution. Thus, Nuclear emulsion is no need of electric power. This is advantage for applying to volcanoes. In this study, It is planned to develop technologies of high-speed analysis system of nuclear emulsion for muography of volcanoes.</p> <p><u>Expected collaborate institutes:</u> Nagoya University, The University of Tokyo, Kobe University, Toho University, Gifu University, Central Research Institute of Electric Power Industry, Salerno University, Cairo University, Bern University, Napoli University</p> |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|---|--|--|
| 2017-B-05 Understanding of deep Earth using directionally sensitive large detector | ○Kunio Inoue (Tohoku University) ·Hiroyuki Tanaka | <p>A cooperative research was started in FY 2014 to launch an interdisciplinary research, which provide new observation for understanding the Earth with neutrinos. In FY 2017, we constructed new research group based on our achievements of the last cooperative research. We combine study of new measurement technology and geo-neutrino flux calculation model. By doing so, our research aims to drive “Neutrino Geoscience” by specifying what we can do to understand the Earth.</p> <p>In this FY, we will measure angular resolution of directional measurement using already developed 3D measurement technology. Furthermore, we will evaluate the measurement sensitivity assuming directional sensitive large detector by using newly constructed geo-neutrino flux calculation model based on seismic wave observation and geochemical analysis.</p> <p><u>Affiliation of Possible Participate:</u> Tohoku University, The University of Tokyo, Tokyo Institute of Technology, JAMSTEC, National Institute of Advanced Industrial Science and Technology</p> |
| 2017-B-06 Construction of overriding plate deformation in subduction zones | ○Hiroshi Sato (Earthquake Research Institute, The University of Tokyo) ·Hiroshi Sato ·Tatsuya Ishiyama | <p>Our goal is to construct community block models of Japanese Islands including seismic source fault models and three dimensional crust and mantle rheology models based on seismic tomography, elastic wave velocity experiments, and structural and thermal evolution of Japanese islands. Our purpose also includes comparison between these models with a long-term crustal deformation.</p> <p>We expect participants from Iwate, Tohoku, Niigata, Yokohama National, Aichi Educational, Chubu, Kyoto Universities, National Research Institute for Earth Science and Disaster Resilience, and JAMSTEC</p> |
| 2018-B-01 Data-driven geoscience: application for the dynamics in mobile belts | ○Kenta Yoshida (JAMSTEC) ·Hiromichi Nagao | <p>Dynamics in the mobile belt involves several geophysical and geochemical processes and their interactions, and our observation is only the result of such comprehensive interactions. Data-driven approach, dealing with high-dimension data and seeking its hidden structure, may be an effective way to solve such complex systems. Although geophysics start to utilize data-driven approach for several purposes, it has not been common in geology and geochemistry, yet. In this project, we would like to establish an open scheme of data-driven geoscience that deals with problems in dynamics in mobile belts including volcanism, seismicity, and fluid circulations. Our target is cross-cutting research not only among earth scientists, but also involving information scientists, to construct a new analytical scheme for the challenging issues.</p> <p><u>Affiliations for projected participants:</u> JAMSTEC, Hokkaido University, Tohoku University, The University of Tokyo, Tokyo Institute of Technology, Tokoha University, Kanazawa University, University of Tsukuba, Kyoto University, Osaka City University, Kagoshima University, Kitakyushu Museum of Natural History & Human History, National Institute of Advanced Industrial Science and Technology , National Research Institute for Earth Science and Disaster Resilience</p> |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|---|---|--|
| 2018-B-02 Study on the crustal and surface deformation using multiple SAR techniques | ○ Youichiro Takada (Hokkaido University) · Yosuke Aoki | <p>Many has been found using various new sensors during the last three years due to the launch of ALOS-2 satellite. We must prepare the study environment which makes such latest SAR technologies available to Japanese researchers to address international competition. Such an environment has been maintained by PIXEL, a study group of SAR, founded on the joint usage of ERI, the university of Tokyo. This project serves as base of the PIXEL activities. Under this project, the participants can share the SAR data provided by JAXA under the research contract between ERI and JAXA. The purpose of this project is to detect various phenomena as earthquakes, volcanic unrests, landslides, glaciers, ground subsidence, etc. using multiple state-of-the-art techniques of SAR analysis and/or technologies of SAR satellites. We also pay special attention to the time evolution of crustal and/or surface deformation using ALOS1 and other satellites. Furthermore, we put weight on the information exchange and the lectures on the SAR analysis software. Through these activities we enhance research capability of the participants for application to large-scale project funds in the future. We also collaborate with the project “Next Generation Volcano Research B2-1”.</p> <p><u>Institution of expected participants:</u> The University of Tokyo, Hokkaido University, Tohoku University, Kanazawa University, Ibaraki University, Tokyo metropolitan University, The University of Aizu, NihonUniversity, Shizuoka University, Nagoya University, Kyoto University, Kochi University, University of Kochi, Kyushu University, Kagoshima University, Japan Aerospace Exploration Agency, National Research Institute for Earth Science and Disaster Resilience, National Institute of Advanced Industrial Science and Technology, Center for Environmental Science in Saitama, Tono Research Institute of Earthquake Science, Hot Springs Research Institute of Kanagawa Prefecture, National Institute of Polar Research, Japan Meteorological Agency, Meteorological Research Institute, Fukada Geological Institute</p> |
| 2018-B-03 Nation-wide utilization of integrated earthquake simulation using high performance computing | ○ Watanabe Gakuho (Yamaguchi University) · Hori Muneo | <p>It is aimed at a trial simulation of earthquake hazard and disaster of high resolution and reliability, by making use of HPC-IES that is developed in ERI. Earthquake damage estimation of infrastructures, such as transportation network, river and port facilities, or lifelines, is a primary concern of this year. Social economical loss ought to be evaluated. We would lie to work with researchers who have certain access to urban are information or infrastructures, or an analysis method of hazard and disaster which could be enhanced with HPC.</p> <p><u>Expected collaborate institutes:</u> Tohoku University, Tokyo Institute of Technology, Niigata University, Yamanashi University, Nagoya Institute of Technology, Kyoto University, Kobe University, Kagawa University, Kyusyu University</p> |

| Project code Project title | ○ Principle investigator · Contact Person at ERI | Details of the project and condition to participate in the project |
|--|--|---|
| 2018-B-04 Establish of dense infrasound observing network | ○Masa-yuki Yamamoto (Kochi University of Technology) ·Yuichi Imanishi | <p>Very low frequency sound whose frequency is lower than 20Hz is called as infrasound. Along with the most recent environment of rapid developing of sensors with viewing of coming IoT (Internet Of Things) era, a basic research to establish of dense infrasound observing network will be carried out. Owing to our collaborative results in past 3 years until fiscal year of 2016, collaborations with involved researchers and institutes were significantly improved, and establishment of low cost sensing with MEMS sensors was also proven. There are many examples of infrasound studies like 3.11 huge Tohoku tsunami event as well as Mt. Ontake volcanic eruptions, it is expected to be advantage for seismic and volcanic researches. For example, it is important for getting precise information about a volcanic eruption under cloudy condition. As a purpose of this study, obtaining source coordinates of infrasound and its propagation characteristics in the atmosphere is expected. We will extend its collaboration for the next 3 years with local governments and citizens so as to realize a domestic network of low cost infrasound microphones.</p> <p><u>Expected collaborate institutes:</u> Hokkaido University, The University of Tokyo, Japan Weather Association, National Institute of Polar Research, Aichi University of Education, Nagoya University, Kyoto University, Kochi University of Technology, Kyushu University</p> |

Appendix T-2C 2018FY Specific Research Project (C) Titles

| Project code Project title | <ul style="list-style-type: none"> ○ Principle investigator • Contact Person at ERI | Details of the project and condition to participate in the project |
|--|---|--|
| 2018-C-01 Research on Seismicity and Plate Structure by the Metropolitan Seismic Observation Network (MeSO-net) | <ul style="list-style-type: none"> ○ Hisanori Kimura (National Research Institute for Earth Science and Disaster Resilience) • Shinichi Sakai | Metropolitan Seismic Observation Network (MeSO-net) is a dense, widely distributed seismograph network, which is unique in the world. In this project, we will conduct a research, which advances understanding of the seismotectonics beneath the metropolitan area and contributes to refinement of the assessment of the seismic hazards that have been elucidated so far and detailed evaluation of damages at cities caused by disastrous earthquakes, by using data obtained from the MeSO-net. Seismic data until FY2016 is used in this project. |

Appendix J-3

List of facilities, observation equipment, and laboratory equipment (FY 2018)

Please refer to Joint usage URL (<http://www.eri.u-tokyo.ac.jp/en/>)

- **On publishing papers based on the results of the researches performed by using facilities in the ERI's joint usage program, please acknowledge the program in the paper.**

Also, please provide a copy of the paper or report to the ERI.

***This study was supported by the Earthquake Research Institute cooperative research program.**

(facilities)

| Joint Usage Code and Name of facility/equipment | Information of facility | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|---|--|---|--|----------------------|
| 2018-F1-01 Tsukuba Seismological Observatory Aburatsubo Geophysical Observatory Nokogiriyama Geophysical Observatory Wakayama Seismological Observatory Hiroshima Seismological Observatory Yahiko Geophysical Observatory Dodaira Seismological Observatory Shin-etsu Seismological Observatory Fujigawa Geophysical Observatory Muroto Geophysical Observatory Observatories and facilities | Nokogiriyama : http://eoc.eri.u-tokyo.ac.jp/GOP/ngy.html (In Japanese only) Wakayama : http://www.eri.u-tokyo.ac.jp/WSO/index.html (In Japanese only) Fujigawa : http://www.eri.u-tokyo.ac.jp/fujigawa/indexJ.html (In Japanese only) Muroto : http://eoc.eri.u-tokyo.ac.jp/GOP/Mrt/indexM.html (In Japanese only) | ○Head of Center for Geophysical Observation and Instrumentation | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F1-02 Yatsugatake Geo-electromagnetic Observatory | | ○Tsutomu Ogawa | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F1-03 Asama Volcano Observatory Komoro observatory of Seismology and Volcanology Izu-Oshima Volcano Observatory Kirishima Volcano Observatory | | ○Head of Center for Geophysical Observation and Instrumentation | Must contact with the responsible person prior to the application. | Any time, as needed. |

(observation equipment)

| Joint Usage Code and Name of facility/equipment | Information of Equipment | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|--|--|--|--|----------------------|
| 2018-F2-01 Data receiver system by satellite communication for a nation-wide seismic telemetry network. | http://eoc.eri.u-tokyo.ac.jp/eisei_system/riyou/data_jushin_riyou.htm (In Japanese only) | ○Shinichi Sakai | Must contact with the responsible person prior to the application. It is a rule that the users install it and maintain it by themselves. Another application about data use is needed. | Any time, as needed. |
| 2018-F2-02 Temporal seismic data acquisition systems (incl. data transfer units, seismometers and recording units) | http://eoc.eri.u-tokyo.ac.jp/eisei_system/riyou/vsat_riyou.htm (In Japanese only) http://eoc.eri.u-tokyo.ac.jp/eisei_system/riyou/chijo_souti.htm (In Japanese only) | ○Shinichi Sakai, Takaya Iwasaki | Must contact with the responsible person prior to the application. Not always available for period of specific research projects. | Any time, as needed. |
| 2018-F2-03 GPS observation equipments: 27 sets | JAVAD GPS receiver: SIGMA-G2T JAVAD GPS antenna: GrAnt-G3T | ○To Be Advised : Prof. Teruyuki Kato will retire under the age limit in next March and successor will be decided by the end of this academic year. | Contact to the responsible person before application is required. Joint usage is subject to forced termination due to any urgent occasions. | Any time, as needed. |
| 2018-F2-04 Broadband-MT instruments | Metronix 1) Main unit: ADU07 8 sets ADU07e 11 sets ADU08e 2 sets 2) Induction coils MFS06: 24 coils MFS07: 4 coils MFS06e: 16 coils MFS07e: 30 coils Phoenix 1) induction coils MTC50 3 coils Basically, 5 component data (2-component E-field and 3-component H-field) can be measured. Sample frequency is 2 ⁿ Hz up to 524 kHz. In addition, we have some other items necessary to the MT survey, such as, various batteries and electrodes. | ○Uyeshima Makoto | Must contact with the responsible person prior to the application. Please recognize that we cannot let you use the instruments if we have some field campaigns. | Any time, as needed. |

| Joint Usage Code and Name of facility/equipment | Information of Equipment | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|--|--|--------------------------------------|--|----------------------|
| 2018-F2-05 Network-MT voltage difference measurement system | SES93: 8 channel 20 bit voltage difference acquisition systems developed by ADOSYSTEMS. We have about 20 instruments. Sampling interval is 0.1, 1 or 10 s. SESNET93: Data transfer units. | ○Makoto Uyeshima | Must contact with the responsible person prior to the application. Please recognize that we cannot let you use the instruments if we have some field campaigns. | Any time, as needed. |
| 2018-F2-06 ※ Marine heat flow measurement system | The system consists of a data logger, probes, temperature sensors, weight, and an acoustic pinger. Heat flow is measured by penetrating a probe equipped with multiple temperature sensors into seafloor sediment. An instrument for thermal conductivity measurement on sediment samples (Quick Thermal Conductivity Meter, Kyoto Electronics Manufacturing Co., Ltd.) is also available. | ○Makoto Yamano | Users must have an experience in marine heat flow measurement, unless they conduct cooperative research with the Earthquake Research Institute. | Any time, as needed. |
| 2018-F2-07 Portable broadband seismic observation system(1) | Broadband seismometers: CMG3T,STS2 Recorders: REKTEK130 40 sets | ○Kawakatsu Hitoshi | Data have to become open in public at the data center of OHRC, ERI after 2-3 years of moratorium period. For the system availability, consult with the contact person. | Any time, as needed. |
| 2018-F2-08 ※ Portable broadband seismic observation system (2) | Broadband seismometers (Nanometrics Inc., Canada) Trillium 120PA Number of equipment: 14 | ○Jun Oikawa | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F2-09 ※ Absolute gravimeter | FG5 gravimeter with 1-2 microgal accuracy manufactured by microg-Lacoste corp., U.S.A. | ○Shuhei Okubo | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F2-10 ※ Lacoste & Romberg Land gravimeter | Spring gravimeter with 10 microgal accuracy manufactured by microg-Lacoste corp., U.S.A. | ○Shuhei Okubo | Operational instruction should be understood. | Any time, as needed. |

| Joint Usage Code and Name of facility/equipment | Information of Equipment | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|--|--|--------------------------------------|--|----------------------|
| 2018-F2-11 ※ Potable strong motion observation system | Potable strong motion observation system(Revision of SMAR-6A3P) 16 equipment with amplifier(16 JEP-6A3P sensors with 1V/G) (Akashi Corporation) 5 equipment without amplifier (5 JEP-6A3P sensors with 10V/G) (Akashi Corporation) 10 logger LS-7000XT(Hakusan Corporation) 10 logger LS-7000 (Hakusan Corporation) ※A single set consists of an equipment and a logger. ※20 sets are available. ※Amplifier gain is a multiplication of 1, 20, 50, 100 and 0.1, 1, 10, 100. | ○Kazuki Koketsu | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F2-12 Volcanic gas observation system | | ○Jun Oikawa | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F2-13 Ultra-long period MT instruments | LEMI-417 fluxgate MT observation instruments. We have 6 instruments. 4 component E-fields and 3-component H-fields can be measured with 1s sampling. | ○Makoto Uyeshima, Hisayoshi Shimizu | Must contact with the responsible person prior to the application. Please recognize that we cannot let you use the instruments if we have some field campaigns. | Any time, as needed. |
| 2018-F2-14 High accuracy gyro-compass system | A SOKIA's GP1X manual gyro-compass system. Measurement accuracy is 20 angle-seconds. | ○Makoto Uyeshima, Hisayoshi Shimizu | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F2-15 ※ 3D deep-sea current profiler system | NORTEK Aquadopp - 6000m 1 system (http://www.nortek-as.com/en/products/CurrentMeter/Aquadopp6k) A current profiling system by combination of the Doppler current profiler (Aquadopp) and the Ti sphere transponder system of a self pop-up recovery, which enables 10 s interval observation of more than one-year-long by the external power supply. Use of the current profiler only is also available. | ○Hajime Shiobara | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F2-16 High accuracy broad-band voltage difference measurement instruments | NT System Design's Elog1k. We can measure 2-component voltage differences at 1024Hz or 32 Hz with 24 bit accuracy. Very low power consumption(1.8W). | ○Makoto Uyeshima | Must contact with the responsible person prior to the application. | Any time, as needed. |

| Joint Usage Code and Name of facility/equipment | Information of Equipment | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|---|-------------------------------|---|--|----------------------|
| 2018-M-01 Specific equipment • Seismometers(1Hz, Lennarz electronic GmbH) | LE-3Dlite MkII 20 sets | ○Center for Geophysical Observation and Instrumentation | Normal usage period (less than 2 months) Application required for longer usage in June. | Any time, as needed. |
| 2018-M-02 Specific equipment • Broad-band seismometers | Trillium-120PA 6 sets | ○Center for Geophysical Observation and Instrumentation | Normal usage period (less than 2 months) Application required for longer usage in June. | Any time, as needed. |
| 2018-M-03 Specific equipment • Low electric power data recording units | HKS-9700a-0505 20 sets | ○Center for Geophysical Observation and Instrumentation | Normal usage period (less than 2 months) Application required for longer usage in June. | Any time, as needed. |
| 2018-M-04 Specific equipment • Centaur data recording units | 6 sets | ○Center for Geophysical Observation and Instrumentation | Normal usage period (less than 2 months) Application required for longer usage in June. | Any time, as needed. |
| 2018-M-05 Specific equipment • Broad-band seismometers | TS17840/Trillium-120PA 9 sets | ○Center for Geophysical Observation and Instrumentation | Normal usage period (less than 2 months) Application required for longer usage in June. | Any time, as needed. |
| 2018-M-06 Specific equipment • Seismic/volcanic observation units | LF-1100R/LF-2100R 9 sets | ○Center for Geophysical Observation and Instrumentation | Normal usage period (less than 2 months) Application required for longer usage in June. | Any time, as needed. |

(laboratory equipment)

| Joint Usage Code and Name of facility/equipment | Information of Equipment | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|---|--|--|---|----------------------|
| 2018-F3-01 ※ Controlled Seismic source | http://www.eri.u-tokyo.ac.jp/KOHO/KOHO/backnumber/15/15-1.html#unyou (In Japanese only) http://www.eprc.eri.u-tokyo.ac.jp/members/satow/operation/operationman.html (In Japanese only) | ○Hiroshi Sato, Tatsuya Ishiyama | Users are required to have precise and detailed knowledges on how to use the controlled Seismic source. | Any time, as needed. |
| 2018-F3-02 Computer system of Earthquake and Volcano Information Center | http://www.eic.eri.u-tokyo.ac.jp/computer/manual/eic2015/index.php?English | ○Head of Earthquake and Volcano Information Center | Limited to academic use and along with the purpose of ERI, according to the rule. Apply directly to ERI, if joint usage fund is not needed. | Any time, as needed. |

| Joint Usage Code and Name of facility/equipment | Information of Equipment | Contact person (○Responsible person) | Conditions of Use and Remarks | Application periods |
|---|---|--|--|----------------------|
| 2018-F3-03 Rock Fracture Apparatus with Data Acquisition System | http://www.eri.u-tokyo.ac.jp/gijyutsubu/jikken/ (In Japanese only) | ○Shingo Yoshida, Masao Nakatani | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F3-05 XRF spectrometer | RIGAKU Wavelength dispersive-X-ray fluorescence spectrometer ZSX Primus II http://www.rigaku.com/en/products/xrf/primus2 | ○Setsuya Nakada, Atsushi Yasuda | All users were requested to receive instruction beforehand upon contact to responsible persons. Consumables were users' pocket. | |
| 2018-F3-06 ※ Vibration testing system | EMIC Corp. Vibration testing system F-1400BD/LAS15 Horizontal or vertical shaking table(1-axis) | ○Akito Araya | Must contact with the responsible person prior to the application. Operate the equipment by yourself in principle. | Any time, as needed. |
| 2018-F3-07 ※ Laser source equipment | NEOARK Corp. Frequency stabilized He-Ne laser Emission wavelength 633nm (red light) | ○Akito Araya | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-F3-08 National Seismogram Data System | | ○Head of Earthquake and Volcano Information Center | System to use national seismogram data, jointly operated with Japanese universities. Consult with corresponding faculty. | Any time, as needed. |
| 2018-F3-09 Karl Fischer moisture titrator (Coulometric titration) | Kyoto Electronics Manufacturing Co., Ltd. Karl Fischer moisture titrator (Coulometric titration) < MKC-610 > http://www.kyoto-kem.com/en/product-category/karl/ Evaporator for measurement of water in rocks < ADP-512 > http://www.kyoto-kem.com/en/product-category/option-karl/ | ○Setsuya Nakada, Kenji Mibe | All users must be trained before operating the machine. It is requested that all applicants discuss their projects with contact person before submitting the proposal. The chemicals for measurements have to be purchased by users. | Any time, as needed. |
| 2018-F3-10 Laser diffraction particle-size analyzer(wet dispersion condition) | Sympatec HELOS/KF-RODOS-QUIXEL System http://www.sympatec.com/EN/LaserDiffraction/f-series/HELOS.html | ○Setsuya Nakada, Fukashi Maeno | All users are required to receive instruction from contact persons and to adjust schedule. | Any time, as needed. |
| 2018-F3-11 ※ Equipment set for thermometer calibration | Fluke 1586A, 9142, 7103 etc. Thermostatic bath(-30 degC to 150 degC), thermistor scanner, and so on | ○Masao Nakatani | Must contact with the responsible person prior to the application. Operate the equipment by yourself in principle. | Any time, as needed |

※Detailed information posted at Earthquake Research Institute, joint usage page.

Appendix J-4

List of earthquake and other earth science data and records (FY 2018)

Please also refer the our database page(<http://www.eri.u-tokyo.ac.jp/en/publication/>)

· **On publishing papers based on the results of the researches performed with data or archives in the ERI's joint usage program, please acknowledge the program in the paper.**

Also, please provide a copy of the paper or report to the ERI.

***This study was supported by the Earthquake Research Institute cooperative research program.**

| Joint Usage Code and Name of data/ records | Contact person (○Responsible person) | Conditions of Use and Related URL | Application periods |
|---|---|--|----------------------|
| 2018-D-01 WWSSN Seismogram microfiche | ○Head of Committee for old seismograms and mareograms | Advance appointment required. Inquire about paper supplies. http://wwweic.eri.u-tokyo.ac.jp/wwssn/filmlist.html | Any time, as needed. |
| 2018-D-02 Historical seismograms | ○Head of Committee for old seismograms and mareograms | Use microfiche archives. Original records can be used with ERI staff. http://wwweic.eri.u-tokyo.ac.jp/susu/ | Any time, as needed. |
| 2018-D-03 Seismological Bulletin, Selected newspaper articles, Foreign seismological reports | ○Head of Committee for old seismograms and mareograms | Copies can be made in library. Bulletins: http://wwweic.eri.u-tokyo.ac.jp/record-J/index.html Foreign seismological reports: http://wwweic.eri.u-tokyo.ac.jp/record-W/index.html | Any time, as needed. |
| 2018-D-04 Earthquake data of Center for Geophysical Observation and Instrumentation | ○Head of Center for Geophysical Observation and Instrumentation | Contact to responsible person. Data should be used under the treatment of earthquake data of Japanese universities. http://eoc.eri.u-tokyo.ac.jp/harvest/ | Any time, as needed. |
| 2018-D-05 Nation-wide earthquake data transfer by satellite communication system and other facilities | ○Head of Center for Geophysical Observation and Instrumentation | Application required under the treatment on earthquake data transfer by satellite communication system. http://eoc.eri.u-tokyo.ac.jp/eisei_system/riyou/data_jushin_riyou.htm | Any time, as needed. |
| 2018-D-06 Japan University Network Earthquake Catalog(JUNEC) | ○Head of Earthquake and Volcano Information Center | Hypocenter data can be accessed through anonymous ftp. ftp://ftp.eri.u-tokyo.ac.jp/pub/data/junec/ Arrival time data can be provided by CD, according to rule among the universities. | Any time, as needed. |
| 2018-D-07 Seismic data of Asama, Izu-Oshima, Kirishima, and Fuji volcanoes | ○Head of Volcano Research Center | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-D-08 Broadband Seismic Waveform Data(1) | ○Head of Ocean Hemisphere Research Center | none. http://ohpdmc.eri.u-tokyo.ac.jp/dataset/permanent/seismological/index.html | Any time, as needed. |

| Joint Usage Code and Name of data/ records | Contact person (○Responsible person) | Conditions of Use and Related URL | Application periods |
|--|---|--|----------------------|
| 2018-D-09 Broadband seismic waveform data(2) | ○Takano Kiyoshi | Broadband seismic waveform data recorded in ERIOS system for broadband seismometer of Tsukuba and Shiraki stations. Since the recording period for each observation station was different, please consult the person in charge prior to the time of use desired. Data format is the ERIOS format. | Any time, as needed. |
| 2018-D-10 New J-array seismogram data | ○Head of Earthquake and Volcano Information Center | Can be used through website. http://jarray.eri.u-tokyo.ac.jp/ | Any time, as needed. |
| 2018-D-11 Earthquake data in Nikko region, Northern Kanto, Japan, in 1993 | ○Head of Center for Geophysical Observation and Instrumentation | Treatment of data usage by participants of the 1993 Nikko seismic observation. | Any time, as needed. |
| 2018-D-12 Strong motion observation database (mainly Suruga bay, Izu peninsula, and Ashigara valley) | ○Kazuki Koketsu | http://smsd.eri.u-tokyo.ac.jp/smad/ | Any time, as needed. |
| 2018-D-13 Copies of old historical documents and interpretation | ○Kenji Satake | No limitation Copies and interpretation of a part of special database of ERI library (http://www.eri.u-tokyo.ac.jp/dl/meta_pub/G000002erilib) | Any time, as needed. |
| 2018-D-14 Geoelectromagnetic Observation Database | ○Makoto Uyeshima | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-D-15 Provisional data at Yatsugatake geo-electromagnetic observatory | ○Tutomu Ogawa | Those who wish to use the data should contact the contact person at the ERI for arrangement and submit an application. | Any time, as needed. |
| 2018-D-16 Heat flow dataset | ○Makoto Yamano | No limitation. Compilation of heat flow data in the northwest Pacific area, covering an area from 0 to 60°N and from 120 to 160°E, which includes the whole Philippine Sea, Japan Sea, and Sea of Okhotsk. It consists of station name, coordinates, altitude (or water depth), number of temperature measurements, maximum measurement depth, temperature gradient, number of thermal conductivity measurements, average thermal conductivity, heat flow, reference and year of publication. The heat flow values measured with submersibles or ROVs and those estimated from depths of gas hydrate BSRs (bottom simulating reflectors) are not included. The values less than or equal to zero are also excluded. | Any time, as needed. |

| Joint Usage Code and Name of data/ records | Contact person (○Responsible person) | Conditions of Use and Related URL | Application periods |
|--|---|--|----------------------|
| 2018-D-17 Aerial photographs of Japan | ○ERI Library | This collection is for research purposes only: active fault research, seismology, volcanology, tectonics, etc. Please have a request at the service counter of ERI library. http://www.eri.u-tokyo.ac.jp/tosho/collection-e.html | Any time, as needed. |
| 2018-D-18 Digital images of tsunami waveforms | ○Head of Committee for old seismograms and mareograms | Apply through search system of digital images of tsunami waveforms. http://www.eri.u-tokyo.ac.jp/tsunamidb/ Same condition to joint usage of ERI applies. | Any time, as needed. |
| 2018-D-19 Special Project for Earthquake Disaster Mitigation in the Tokyo Metropolitan Area Date | ○Shinichi Sakai | Must contact with the responsible person prior to the application. http://www.eri.u-tokyo.ac.jp/shuto/index.html (In Japanese only) | Any time, as needed. |
| 2018-D-20 Superconducting Gravimeter Data | ○Yuichi Imanishi | Must contact with the responsible person prior to the application. | Any time, as needed. |
| 2018-D-21 Special Project for Reducing Vulnerability for Urban Mega Earthquake Disasters Date | ○Shinichi Sakai | Must contact with the responsible person prior to the application. http://www.eri.u-tokyo.ac.jp/project/toshi/ (In Japanese only) | Any time, as needed. |